	Applicati n N .	Applicant(s)
Notice of Allowability	10/094 155	
	10/084,155 Examiner	KUO ET AL. Art Unit
	Bahana Banasa	
	Rehana Perveen	2116
The MAILING DATE of this communication app ars n the cover sheet with the correspond nce address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>application filed on 2/28/02</u> .		
2. The allowed claim(s) is/are <u>1-19</u> .		
3. The drawings filed on 28 February 2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of ach sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
. ,		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. 🗌 Examiner's Amendn	re nent/Comment
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. 🕅 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	S. Rodoons for Allowallot

Application/Control Number: 10/084,155

Art Unit: 2116

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art of record, alone or in combination, does not teach an apparatus for delivering a power status data signal of a smart battery comprising a data buffer and a data storage device for receiving the power status data signal serially and in parallel, respectively, and outputting the power status data signal in parallel in response to a first clock signal and a second clock signal, respectively, wherein the first clock signal and the second clock signals are generated by a control device which also generates a smart battery clock signal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rehana Perveen whose telephone number is 571-272-3676. The examiner can normally be reached on 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H Browne can be reached on 571-272-3670. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/084,155

Art Unit: 2116

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 3

Rehana Perveen

Primary Patent Examiner Technology Center 2100